

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	9	((end\$6 or edge or proxy) near server) same ((virtual near2 (connection or path or circuit)) same request\$3)) and @ad<"20000320"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/08 10:30
L2	197491	L1 anf @pd>"20051210"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/08 10:30
L3	0	L1 and @pd>"20051210"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/08 10:30
L4	4	((reserv\$6 near2 server) same ((end\$6 or edge or proxy) near server)) and @ad<"20000320"	US-PGPUB; USPAT	OR	OFF	2006/02/08 10:30
L5	0	L4 and @pd>"20051210"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/08 10:30
L6	23	(reserv\$6 near2 server) same ((end\$6 or edge or proxy) near server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/08 10:32
L7	3	L6 and @pd>"20051210"	US-PGPUB; USPAT	OR	OFF	2006/02/08 10:34
L8	11	(709/244.ccls. and 709/227,228.ccls.) and @ad<"20000320"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/08 10:34
L9	11	(709/240.ccls. and 709/227,228.ccls.) and @ad<"20000320"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/08 10:34
L10	9	(709/244.ccls. and 709/240.ccls.) and @ad<"20000320"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/08 10:34
L11	0	(L8 L9 L10) and @pd>"20051210"	US-PGPUB; USPAT	OR	OFF	2006/02/08 10:34
L12	6	("6694429").URPN.	USPAT	OR	OFF	2006/02/08 11:08

S1	2792	713/201.ccls.	US-PGPUB; USPAT	OR	OFF	2004/07/19 14:30
S2	119	709/227,228.ccls. and 713/201.ccls.	US-PGPUB; USPAT	OR	OFF	2004/07/19 14:31
S3	82	(709/227,228.ccls. and 713/201.ccls.) and @ad<"20000320"	US-PGPUB; USPAT	OR	OFF	2005/07/12 18:14
S4	1	virtual near2 (connection or path or circuit)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/19 14:32
S5	13516	virtual near2 (connection or path or circuit)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/19 14:32
S6	1334	reserv\$6 near2 server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/19 14:32
S7	8403	(end\$6 or edge or proxy) near server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/19 14:33
S8	0	(reserv\$6 near2 server) same ((end\$6 or edge or proxy) near server) same ((virtual near2 (connection or path or circuit)) same request\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/19 14:35
S9	0	(reserv\$6 near2 server) same ((end\$6 or edge or proxy) near server) and ((virtual near2 (connection or path or circuit)) same request\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/19 14:34
S10	1	(reserv\$6 near2 server) and ((end\$6 or edge or proxy) near server) same ((virtual near2 (connection or path or circuit)) same request\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/19 14:37
S11	10	(reserv\$6 near2 server) same ((end\$6 or edge or proxy) near server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/19 14:35
S12	4	((reserv\$6 near2 server) same ((end\$6 or edge or proxy) near server)) and @ad<"20000320"	US-PGPUB; USPAT	OR	OFF	2004/07/19 14:37

S13	17	((end\$6 or edge or proxy) near server) same ((virtual near2 (connection or path or circuit)) same request\$3)	US-PGPUB; USPAT	OR	OFF	2004/07/19 14:37
S14	18	((end\$6 or edge or proxy) near server) same ((virtual near2 (connection or path or circuit)) same request\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/19 14:37
S15	9	((end\$6 or edge or proxy) near server) same ((virtual near2 (connection or path or circuit)) same request\$3)) and @ad<"20000320"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/08 10:29
S16	2326	(virtual near2 (connection or path or circuit)) same request\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/27 12:26
S17	2909	709/227,228.ccls.	US-PGPUB; USPAT	OR	OFF	2004/07/20 13:38
S18	106	((virtual near2 (connection or path or circuit)) same request\$3) and 709/227,228.ccls.	US-PGPUB; USPAT	OR	OFF	2004/07/20 13:38
S19	72	((virtual near2 (connection or path or circuit)) same request\$3) and 709/227,228.ccls.) and @ad<"20000320"	US-PGPUB; USPAT	OR	OFF	2004/07/20 13:38
S20	5478	blair.xa. Douglas.xa.	US-PGPUB; USPAT	OR	OFF	2004/07/26 13:21
S21	7	blair.xa. and Douglas.xa.	US-PGPUB; USPAT	OR	OFF	2004/07/26 13:28
S22	285	(egress or ingress) same virtual near2 (connection or path or circuit)	US-PGPUB; USPAT	OR	OFF	2004/07/26 13:37
S23	71	((egress or ingress) same virtual near2 (connection or path or circuit)) same (request\$3 or reserv\$7)	US-PGPUB; USPAT	OR	OFF	2004/07/26 13:38
S24	29	((egress or ingress) same virtual near2 (connection or path or circuit)) same (request\$3 or reserv\$7)) and @ad<"20000320"	US-PGPUB; USPAT	OR	OFF	2004/07/26 13:38
S25	10578	(virtual near (connection or path or circuit))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/27 12:29

S26	347	reservation near server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/27 12:29
S27	4	((virtual near (connection or path or circuit))) same (reservation near server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/27 12:31
S28	32	((virtual near (connection or path or circuit))) and (reservation near server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/27 12:32
S29	23	((virtual near (connection or path or circuit))) and (reservation near server)) and @ad<"20000320"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/27 13:01
S30	13	("6011780"   "6046981"   "6141319"   "6222820"   "6240463"   "6363319"   "6408005"   "6442138"   "6449253"   "6493317"   "6493318"   "6504819"   "6529499").PN.	USPAT	OR	OFF	2004/07/27 12:40
S31	13	((virtual near (connection or path or circuit))) same (reserv\$7 near user)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/27 13:03
S32	10	((virtual near (connection or path or circuit))) same (reserv\$7 near user)) and @ad<"20000320"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/27 13:04
S33	10	((virtual near (connection or path or circuit))) same (database near2 user)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/27 13:04
S34	7	((virtual near (connection or path or circuit))) same (database near2 user)) and @ad<"20000320"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/27 13:07
S35	362	resource\$1 same connection same reserv\$7 same user	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/27 13:07

S36	42	(resource\$1 same connection same reserv\$7 same user) and (egress or ingress)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/27 13:07
S37	20	((resource\$1 same connection same reserv\$7 same user) and (egress or ingress)) and @ad<"20000320"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/27 14:51
S38	140	709/244.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/27 14:51
S39	2919	709/227,228.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/27 14:51
S40	224	709/240.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/27 14:52
S41	1684	709/238.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/27 14:52
S42	450	709/237.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/27 14:52
S43	14	709/244.ccls. and 709/227,228.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/27 14:52
S44	11	(709/244.ccls. and 709/227,228.ccls.) and @ad<"20000320"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/27 14:55
S45	15	709/240.ccls. and 709/227,228.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/27 14:55

S46	10	(709/240.ccls. and 709/227,228.ccls.) and @ad<"20000320"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/27 14:57
S47	8	709/244.ccls. and 709/240.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/27 14:57
S48	6	(709/244.ccls. and 709/240.ccls.) and @ad<"20000320"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/27 15:04
S49	5	reserv\$7 near server same "virtual connection"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/27 15:04
S50	1	(reserv\$7 near server same "virtual connection") and @ad<"20000320"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/27 15:04
S51	0	reserv\$7 near server same "virtual path"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/27 15:05
S52	1	reserv\$7 near server same "virtual circuit"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/27 15:07
S53	260	"reservation server"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/27 15:07
S54	2	"reservation server" same (user near database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/27 15:07
S55	1150	(user or client) same (qos or "quality of service" or bandwidth) same reserv\$7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/04 11:58

S56	5406	713/200-202.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/04 11:58
S57	8	713/200-202.ccls. and ((user or client) same (qos or "quality of service" or bandwidth) same reserv\$7)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/04 12:09
S58	8	knight.in. and cisco.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/04 12:10
S59	38	packet same (source near address) same (destination near address) same "port number" same (qos or "quality of service" or bandwidth or (reservation near resource))	US-PGPUB; USPAT	OR	OFF	2004/08/08 18:27
S60	12	(packet same (source near address) same (destination near address) same "port number" same (qos or "quality of service" or bandwidth or (reservation near resource))) and @ad<"20000320"	US-PGPUB; USPAT	OR	OFF	2004/08/08 18:28
S61	3	(709/227,228.ccls. and 713/201.ccls.) and @ad<"20000320" and @pd>"20040727"	US-PGPUB; USPAT	OR	OFF	2005/07/12 18:15
S62	17	(reserv\$6 near2 server) same ((end\$6 or edge or proxy) near server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/12 18:15
S63	6	S62 and @pd>"20040727"	US-PGPUB; USPAT	OR	OFF	2005/07/12 18:15
S64	12	(US-20010048682-\$).did. or (US-6021263-\$ or US-6363319-\$ or US-6529499-\$ or US-6563793-\$ or US-6571287-\$ or US-6690678-\$ or US-6694429-\$ or US-6714987-\$ or US-6744767-\$ or US-6760336-\$ or US-6768738-\$).did.	US-PGPUB; USPAT	OR	OFF	2005/12/11 11:39
S65	4	S64 and (reservation near request)	US-PGPUB; USPAT	OR	OFF	2005/12/11 11:40
S66	9	(709/244.ccls. and 709/240.ccls.) and @ad<"20000320"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/12 08:42



S67	0	S66 and @pd>"20050712"	US-PGPUB; USPAT	OR	OFF	2005/12/12 08:42
S68	11	(709/244.ccls. and 709/227,228. ccls.) and @ad<"20000320"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/12 08:42
S69	11	(709/240.ccls. and 709/227,228. ccls.) and @ad<"20000320"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/12 08:42
S70	0	(S68 S69) and @pd>"20050712"	US-PGPUB; USPAT	OR	OFF	2005/12/12 08:43
S71	23	((resource\$1 same connection same reserv\$7 same user) and (egress or ingress)) and @ad<"20000320"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/12 08:43
S72	0	S71 and @pd>"20050712"	US-PGPUB; USPAT	OR	OFF	2005/12/12 08:43
S73	20	(reserv\$6 near2 server) same ((end\$6 or edge or proxy) near server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/12 08:43
S74	3	S73 and @pd>"20050712"	US-PGPUB; USPAT	OR	OFF	2006/02/08 10:32